



RAJASTHAN STATE POLLUTION CONTROL BOARD
RIICO Industrial Area,Opp. CETP,Khed Road,Balotra
Distt.Barmer



Registered

F(BMW)/Barmer(Barmer)/35(1)/2017-2018/230-232

Date: 20/04/2018

Unit Id : 5276

FORM IV
(SEE Rule 10 of BMW Rules, 2016)

(Authorization for operating a facility for Disposal at landfill, Generation of Biomedical Wastes)

- 1 Authorization Letter No. BMW/2018-2019/Balotra/BMW/3.
- 2 **Aditya Agarwal, Director HOP of Raj West Power Private Limited is hereby granted an authorization under Rule 10 of Bio-Medical Waste (Management & Handling) Rules, 2016 (BMW Rules,2016) to operate a facility for Disposal at landfill, Generation of biomedical waste on the premisses situated at Khasra No- 3315/1670, 3316/1670, 3319/1670, 3639/1670, Shivkar Marg, Bhadresh, , Tehsil Barmer, District Barmer.**
- 3 This authorization is valid till it is cancelled /revoked by the Competent Authority.
- 4 This authorization is valid for operation of the Clinic with 2 (two) number of beds.
- 5 This authorization is subject to the conditions contained in enclosed annexure and to such other conditions/guidlines as may be specified under BMW Rules, 2016 by Central Pollution Control Board, Delhi or Ministry of Environment & Forests(MoEF), Government of India (GOI) or Department of Environment (DOE), Government of Rajasthan (GOR).
- 6 Segregation, packing, transportation, storage, treatment & disposal of bio medical waste shall be in accordance with Rule 7 & 8 of BMW Rules, 2016. The bio medical waste shall be disposed of at Common Biomedical Waste Treatment & Disposal Facility (CBMWTDF) established for the area viz .
- 7 The mercury bearing waste arising due to breakage of thermometers,pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste.The mercury bearing waste is to be segregated, collected , stored and disposed in accordance with the provisions of Hazardous Waste and other wastes (Management and Transboundary Movement) Rules, 2016.
- 8 The Annual report in accordance with Rule 13 for the period 1st January to 31st December of previous year shall be submitted On or before 30th June of every year in form - IV as prescribed in the Rules and the annual report shall also be made available on the web-site of the occupier. Further, all the health care facilities shall develop their website within two years from the date of notification of the BMW Rules,2016, in case not already developed.



RAJASTHAN STATE POLLUTION CONTROL BOARD
RIICO Industrial Area,Opp. CETP,Khed Road,Balotra
Distt.Barmer

Registered

F(BMW)/Barmer(Barmer)/35(1)/2017-2018/230-232

Date: 20/04/2018

Unit Id : 5276

- 9 The hospital shall maintain the record of biomedical waste as per Rule 14 & shall be produced during the inspection.
- 10 That the hospital shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of the BMW Rules, 2016.
- 11 That the hospital shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one years from the date of the notification of the BMW Rules, 2016.
- 12 That the hospital shall provide training to all its health care workers and others, involved in handing of bio-medical waste at the time of induction and thereafter at least once every year and the details of training programs conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report.
- 13 In case of expansion in bed capacity or increase in pollution load, the hospital shall obtain prior Consent to Establish under Water (Prevention and Control of Pollution)Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 & revised Authorization under BMW Rules, 2016.
- 14 That the hospital shall comply the provisions of Bio-medical Waste Management Rules, 2016.
- 15 That the hospital shall comply with the standards for treatment disposal of Boi-medical Waste as specified under schedule II of Boi-medical Waste Management Rules, 2016.
- 16 That infected hospital liquied waste must be given chemical treatment by using at least 10% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection as prescribed in part-2 of schedule-I of the Rules.



RAJASTHAN STATE POLLUTION CONTROL BOARD
RIICO Industrial Area,Opp. CETP,Khed Road,Balotra
Distt.Barmer

Registered

F(BMW)/Barmer(Barmer)/35(1)/2017-2018/230-232

Date: 20/04/2018

Unit Id : 5276

- 17 That the hospital shall install adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand bucket, fire alarm, Water sprinklers etc.) at salient places with in the premises of the hospital, even at bio-medical storage area,in accordance with the fire safety regulations and to submit certificate of the competent authority in this respect to this office.
- 18 That the hospital management shall continue to segregate the bio medical waste as per provisions of BMWR, as amended till date, and hand it over regularly to operator of common Bio Medical waste disposal facility, after due packing in colour coded bags, as prescribed in schedule IV (Rule-6) of the BMWR.
- 19 That the domestic waste water shall be treated through septic tank & soak pit & zero discharge shall be maintained.
- 20 The Bio Medical Waste shall be disposed at deep burial pit with in premises as per procedure laid down in rules till Common Biomedical Waste Treatment and Disposal Facility agreement shall be taken by the hospital.
- 21 That the hospital shall maintain record of collection, storage and transportation of bio-medical waste to Common Bio-Medical Waste Treatment and Disposal Facility (CBWTDF) for disposal. The quarterly abstract related to the collection, storage, transportation and disposal shall be submitted to the H.O. and Regional Office in the format given below:

Sr. No.	Month & Year	Disposal of bio-medical waste as per colour code (in Kg.)				Number of collection trips by CBMWTDF
		Yellow	Red	Blue / White	Black	

- 22 This Authorization is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time being in force, rests with the hospital/ unit / project proponent.



RAJASTHAN STATE POLLUTION CONTROL BOARD
RIICO Industrial Area,Opp. CETP,Khed Road,Balotra
Distt.Barmer

Registered

F(BMW)/Barmer(Barmer)/35(1)/2017-2018/230-232

Date: 20/04/2018

Unit Id : 5276

23 This Authorization shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.

Enclose :- Annexure

Yours Sincerely

Regional Officer

Copy To:-

- 1 Member Secretary/Registry Cell, RSPCB, Jaipur.
- 2 Master File

Regional Officer

To :

M/s Raj West Power Private Limited

Village- Bhadresh , Tehsil:Barmer

District:Barmer